


Volunteer Water Quality Monitoring Program Report on 2013 Sampling Data



**Township of The Archipelago
March 2014**

Acknowledgements

This monitoring program represents a successful partnership between the Township of The Archipelago, cottager associations, and numerous volunteers in areas along the coast and inland lakes that has lasted since its inception in 1999. The volunteer-based program provides an important avenue for relaying information about our environment to ratepayers and for providing valuable information to the Township.

We owe continued thanks to all the volunteers who commit time and resources toward the ongoing success and long term vision that is water quality monitoring. Additionally, we are grateful to the ongoing support and interest of Dr. Karl Schiefer who continues to provide advice on various technical aspects of the program and is always passionate about environmental quality on the Georgian Bay coast and inland waters.

The Township wishes to thank all of its ratepayers, and in particular the volunteer monitors, for their keen interest and drive to ensure our high quality environment is maintained.

Report Compiled by Georgian Bay Biosphere Reserve

For information on its content please contact:

Township of The Archipelago
9 James St.
Parry Sound, ON
P2A 1T4

Table of Contents

Acknowledgements.....	i
1.0 Introduction.....	1
2.0 Results.....	2
2.1 Sample Locations	2
2.1.1 Sans Souci and Woods Bay Sampling Locations	3
2.1.2 South Channel Sampling Locations.....	4
2.1.3 Sturgeon Bay Sampling Locations.....	5
2.1.4 Skerryvore and Pointe au Baril Islands Sampling Locations.....	6
2.1.5 Bayfield Inlet and Nares Inlet Sampling Locations.....	7
2.1.6 Blackstone and Crane Lake Sampling Locations	8
2.1.7 Healey Lake and Kapikog Lake Sampling Locations.....	9
2.1.8 Naiscoot Lake Sampling Locations	10
2.2 Water Clarity	11
2.2.1 Secchi Depths (Water Clarity) in the Sans Souci Area 2013.....	12
2.2.2 Secchi Depths (Water Clarity) for Woods Bay Area 2013.....	13
2.2.3 Secchi Depths (Water Clarity) for the South Channel Area 2013	14
2.2.4 Secchi Depths (Water Clarity) for the Sturgeon Bay Area 2013.....	15
2.2.5 Secchi Depth (Water Clarity) in Skerryvore Area 2013 (NA)	16
2.2.6 Secchi Depth (Water Clarity) in Pointe au Baril Islands Area 2013	16
2.2.7 Secchi Depth (Water Clarity) in Blackstone Lake 2013.....	17
2.2.8 Secchi Depth (Water Clarity) in Crane Lake 2013	18
2.2.9 Secchi Depth (Water Clarity) in Healey Lake 2013	19
2.2.10 Secchi Depth (Water Clarity) in Kapikog Lake 2013.....	20
2.2.11 Secchi Depth (Water Clarity) in Naiscoot Lake 2013 (NA).....	21
2.3 Bacterial Monitoring	22
2.3.1 Bacterial Reference Guidelines and Objectives.....	22
2.3.1 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Sans Souci Area 2013	24
2.3.2 Bacterial Sampling of Surface Water for Total Coliforms(TC) and E. Coli (EC) in the Woods Bay Area 2013	25
2.3.3 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E.Coli (EC) in the South Channel Area 2013 (NA)..	27
2.3.4 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Sturgeon Bay Area 2013.....	30
2.3.4.1 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Skerryvore Area 2013 (NA)	33

2.3.4.2	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Pointe au Baril Islands Area 2013	34
2.3.5	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Bayfield and Nares Inlets 2013.....	37
2.3.6	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Blackstone Lake 2013.....	38
2.3.7	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Crane Lake 2013.....	39
2.3.8	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Healey Lake 2013	41
2.3.9	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Kapikog Lake.....	42
2.3.10	Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Naiscoot Lake 2013	44

Area Data

Sturgeon Bay

Sample Locations	Page 5
Water Clarity	Page 15
Bacterial Sampling	Page 30-32

Skerryvore

Sample Locations	Page 6
Water Clarity	Page 16
Bacterial Sampling	Page 33-34

Pointe au Baril Islands

Sample Locations	Page 6
Water Clarity	Page 16
Bacterial Sampling	Page 34-36

Bayfield Inlet and Nares Inlet

Sample Locations	Page 7
Bacterial Sampling	Page 37

South Channel

Sample Locations	Page 4
Water Clarity	Page 14
Bacterial Sampling	Page 27

Sans Souci

Sample Locations	Page 3
Water Clarity	Page 12
Bacterial Sampling	Page 24

Woods Bay

Sample Locations	Page 3
Water Clarity	Page 13
Bacterial Sampling	Page 25

Blackstone Lake

Sample Locations	Page 8
Water Clarity	Page 17
Bacterial Sampling	Page 38-39

Crane Lake

Sample Locations	Page 8
Water Clarity	Page 18
Bacterial Sampling	Page 39-40

Healey Lake

Sample Locations	Page 9
Water Clarity	Page 19
Bacterial Sampling	Page 41

Kapikog Lake

Sample Locations	Page 9
Water Clarity	Page 20
Bacterial Sampling	Page 42

Naiscoot Lake

Sample Locations	Page 10
Water Clarity	Page 21
Bacterial Sampling	Page 44

1.0 Introduction

This report provides a summary of results from the 2013 Water Quality Monitoring Program for the Township of The Archipelago. The program purpose, rationale, and methods have been presented in previous year's reports and these were followed for the 2013 season. Similar to past reports, the purpose here is to present the data gathered in the 2013 sampling season in detail but also to indicate summaries of past year's results to enable comparison of ongoing trends. It should be noted that this report was created by Township of The Archipelago staff and by Georgian Bay Biosphere Reserve staff and no analysis or review is provided internally. A Water Quality Review is also available from the Township which provides that analysis. For information on this report and/or the volunteer water quality monitoring program in The Archipelago, please contact Elke Dyck at the Township of The Archipelago.

The Township is very committed to addressing environmental issues and ensuring the maintenance of the high quality environment we all enjoy. This philosophy is integrated into the day to day functioning of the municipality from public works operations to detailed planning analysis.

2.0 Results

The following results were tabulated from data gathered in 2013. Different locations were sampled with different intensity and for varying lengths of time. It is not the purpose of this report to provide analysis or draw conclusions from the data. Rather, what is provided are:

- outlines of the standards against which data can be compared; and
- tables outlining the different data sets and averages for each location for each sample area; and where possible, the averages from the previous sampling years.

It should be noted that in order to assess the relevance of the data, comparisons should be made between averages and standard deviations (not individual data points per se), previous year averages and against established standards.


Charts are provided comparing water quality in the inland lakes, open bay sampling areas, and back bay sampling areas. When reviewing these data please keep in mind similarities and differences in the surrounding ecosystem and potential differences in sampling methodology (i.e. sampling times).

2.1 Sample Locations


Sampling sites have typically been focused on known or expected “hot spots”; areas that may be more likely to suffer water quality impairment related to human activities. Some sample areas have also been selected as control stations; these allow comparison between the variety of ecosystem types that exist along the coast and within inland lakes. Maps of the sample areas indicate the sampling locations for the different areas throughout the township. The sample sites include many of the sampling stations used in

previous years and volunteers are encouraged to return to those sites in subsequent years. Unlike previous years, results for the different parameters are shown in table format, not on individual maps; refer to the maps when positioning the different samples.


2.1.1 Sans Souci and Woods Bay Sampling Locations




2.1.2 South Channel Sampling Locations




2.1.3 Sturgeon Bay Sampling Locations




2.1.4 Skerryvore and Pointe au Baril Islands Sampling Locations



2.1.5 Bayfield Inlet and Nares Inlet Sampling Locations



2.1.6 Blackstone and Crane Lake Sampling Locations




Blackstone Lake Sampling Sites:

- | | | |
|----------------------------------|-----------------|-------------------|
| 1 Centre of Lake (Peanut Island) | 2 McRoberts Bay | 3 Lawson Bay(old) |
| 4 Blackstone Landing | 5 Mallet | |

Crane Lake Sampling Sites:

- | | | |
|---------------------|--------------------------|----------------------------------|
| 1 North End | 2 Goebel's Bay | 3 Aga Ming Private Dock/Mead Bay |
| 4 Crane Lake Resort | 5 Overflow Bay (Narrows) | 6 South End |

2.1.7 Healey Lake and Kapikog Lake Sampling Locations



2.1.8 Naiscoot Lake Sampling Locations



2.2 Water Clarity

Water clarity is usually measured using a black-and-white Secchi disc which is lowered into the water until it is at the absolute limit of being visible. This depth is the Secchi depth of visibility, which is directly related to water clarity and can be used as a simple and effective monitoring tool for determining the effects of human activities on water clarity and, indirectly, on the nutrient content in the water. In general, water clarity, as measured by Secchi depth, tends to be higher in open areas of Georgian Bay and in bays with good water circulation. Water clarity tends to diminish (smaller Secchi depth values) in enclosed bays, near wetlands or sources of organic material, and in lakes or areas that have higher nutrient levels either for natural or unnatural causes. When examining the data, it is typical to see a small decline in Secchi depth throughout the year with lowest depths reading near the end of the summer and into September; however a major decline in the readings should be evaluated more carefully. A multi-year comparison of data is of particular value here to assess the water clarity trends for a particular area and where possible, data from previous years have been included with the tables.

2.21 Secchi Depths (Water Clarity) in the Sans Souci Area 2013

Date	Station							Average for All Stations
	1	2	3	4	5	6	7	
1-Jul	9.4			6.7		12.2	4.9	8.3
20-Jul	9.8	8.5		5.5			7.3	7.8
11-Aug	9.4			6.7	4.6	9.4	5.8	7.2
25-Aug		8.2		7		9.1	7.6	8.0
1-Sep	9.1			6.1		10.7	6.1	8.0
Average	9.4	8.4	NA	6.4	4.6	10.4	6.3	7.8
Std Dev.	0.3	0.2		0.6		1.4	1.1	0.5

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

Average Water Clarity Results for Previous Years

Year	Station							Average for All Stations
	1	2	3	4	5	6	7	
2012	9.6	8.3	N/A	6.7	4.8	11.0	5.7	7.9
2011	9.7	9.8	N/A	7.0	5.8	11.5	5.4	8.6
2010	10.9	11.6	NA	7.6	5.8	13.7	5.8	7.7
2009	9.0	7.8	t.b.	6.2	5.9	10.0	5.2	7.3
2008	7.8	7.4	NA	4.1	4.3	9.1	4.3	6.7
2007	8.8	4.7	3.3	5.0	6.0	10.9	4.3	6.2
2006	8.5	6.2	3.7	4.5	5.3	9.1	5.0	6.0
2005	7.8	5.2	3.5	4.3	5.4	8.9	3.8	5.5
2004	8.9	5.5	3.5	4.5	5.2	12.1	5.0	6.5
2003	8.3	3.4	2.5	4.1	5.6	9.8	5.1	5.5
2002	NA	NA	NA	NA	NA	NA	NA	7.8
2001	NA	NA	NA	NA	NA	NA	NA	8.5

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.2.2 Secchi Depths (Water Clarity) for Woods Bay Area 2013

Date	Station					
	1	2	3	5	6	7
18-Jun	3	3	3	4	4	3
9-Jul	3	3	3	4	4	5
26-Jul	3	3	4	4	3	4
9-Aug	4	4.5	5	4	4.5	4
25-Aug	4	3	3	4	4	4
15-Sep	4	4	3	4	4	4

Average for All Stations
3.3
3.7
3.5
4.3
3.7
3.8

Average	3.5	3.4	3.5	4.0	3.9	4.0
Std. Dev.	0.5	0.7	0.8	0.0	0.5	0.6

3.7
0.3

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

Average Water Clarity Results for Previous Year

Year	Station					
	1	2	3	5	6	7
2012	4.2	3.8	4.0	4.4	4.1	4.3
2011	3.6	3.4	3.8	4.0	3.9	3.9
2009	3.4	3.3	3.1	3.2	3.7	3.8
2008	3.8	3.2	3.3	2.2	4	4.1
2007	3.3	N/A	2.8	4.2	4.2	4
2006	3.3	N/A	N/A	3.8	3.8	4
2005	2.8	N/A	3	3.6	3.3	3.3
2004	2.8	1.7	2.9	3.3	3.3	3.4
2003	3.1	1.9	3.2	3.9	3.6	3.6
2002	N/A	3.2	N/A	N/A	3.8	4.2
2001	N/A	4.5	N/A	N/A	5.0	N/A

Average for All Stations
4.1
3.8
3.4
3.4
3.7
3.7
3.2
2.3
3.2
3.7
4.8

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

Note: 2010 Data is unavailable.

2.2.3 Secchi Depths (Water Clarity) for the South Channel Area 2013

Date	Station										Average for All Stations
	1	3	4	5	6	7	8	12	13	14	
15-Jun	4.0	3.7	4.6	4.9	7.6	4.9	5.8	4.6	3.7	4.3	4.8
8-Jul	3.7	4	4.9	5.2	7.3	4.9	6.1	5.2	3.7	4.6	5.0
9-Aug	3.7	4.6	5.5	5.8	7.9	5.5	7	5.5	4	4.3	5.4
15-Sept	4	4.9	5.2	4.7	7.3	4.6	7	4.9	4.3	4.3	5.1
Average	3.9	4.3	5.1	5.2	7.5	5.0	6.5	5.1	3.9	4.4	5.1
Std. Dev.	0.2	0.5	0.4	0.5	0.3	0.4	0.6	0.4	0.3	0.1	0.2

Average Water Clarity Results for Previous Years

Date	Station										Average for All Stations
	1	3	4	5	6	7	8	12	13	14	
2012	4.2	4.5	5.6	5.4	7.4	5.0	6.1	4.8	3.7	5.1	5.2
2011	2.9	3.9	5.0	4.7	6.5	4.8	5.5	4.3	2.8	3.9	4.4
2009	3.2	3.8	5.1	4.9	7.0	4.7	5.9	4.7	3.0	4.2	4.6
2008	2.8	3.6	5.0	4.8	7.0	4.9	5.5	4.6	2.9	3.5	4.4
2006	3.1	3.8	5.5	4.4	6	4.7	5.8	5.1	3	3.6	4.5
2005	3.3	3.7	5.0	4.5	6.5	4.7	5.1	4.6	2.8		4.5
2004	2.7	3.7	4.8	4.3	6.2	4.2	5.1	4.2	2.9		4.3
2003	2.7	3.3	4.5	4.5	6.1	4.2	4.9	3.8	2.9		4.0
2002	3.5				5.5	4.6		5.5			
2001	3.0				6.0						

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom
 Note: 2010 Data is unavailable.

2.2.4 Secchi Depths (Water Clarity) for the Sturgeon Bay Area 2013

Date	Station														Average for All Stations
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
27-Jun	1.2	1.3	1.5	1.6	1.6		1.4	1.7	2	1.1	2	2.2	2	1.9	1.7
15-Jul	0.7	0.8	0.9	0.9	0.9	1.0	1.2	1.8	2.3	1.7	2.5	2.5	2.7	2.3	1.6
20-Aug	1.2	1.2	1.4	1.3	1.4		2		2.4		2.4	2.5	2.3	2	1.8
9-Sep	1.2	1.3	1.3	1.3	1.3		2	2.1	1.9		2.2	2.3	2.3	2	1.8
Average	1.1	1.2	1.3	1.3	1.3	1.0	1.7	1.9	2.2	1.4	2.3	2.4	2.3	2.1	1.7
Std. Dev.	0.3	0.2	0.3	0.3	0.3		0.4	0.2	0.2	0.4	0.2	0.2	0.3	0.2	0.1

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

Average Water Clarity Results for Previous Years

Year	Station														Average for All Stations
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
2012	1.1	1.1	1.1	1.1	1.1	0.7	1.5	1.7	1.7	1.4	1.8	2.0	2.1	1.6	1.5
2011	1.5	1.5	1.3	1.7	1.8	1.3	1.9	1.9	1.9	NA	2.2	2.3	2.5	2.5	2.0
2010	1.7	1.7	1.8	1.9	1.9	1.3	2.1	2.1	2.2	NA	2.3	2.4	2.3	2.0	2.0
2009	1.3	1.4	1.6	1.4	1.6	1.5	1.5	1.7	1.6	1.0	1.6	1.9	1.8	1.8	1.5
2008	1.2	1.2	1.1	1.1	1.7	1.3	1.6	1.6	1.6	0.9	1.6	1.8	1.8	1.6	1.3
2007	1.6	1.5	1.7	1.7	1.7	t.b.	1.8	2.0	1.9	1.5	1.9	1.9	2.2	1.8	1.7
2006	1.7	1.8	1.7	1.7	1.8	2.0	2.4	2.2	2.2	1.3	2.5	2.5	2.6	1.7	1.9
2005	2.1	2.3	2.5	2.5	2.4	1.6	2.6	2.2	2.4	2.7	2.5	2.5	2.5	2.2	2.4
2004	1.9	2.0	1.9	1.9	2.0	1.6	2.2	2.2	2.6	2.0	2.6	2.3	2.7	2.4	2.0
2003	1.2	1.4	1.5	1.5	1.5	1.3	1.6	1.6	1.9	1.6	1.9	2.1	2.0	1.5	1.6
2002	0.6	NA	NA	NA	0.7	NA	NA	NA	NA	NA	2.1	NA	NA	NA	1.1
2001	1.2	NA	NA	NA	1.6	NA	NA	NA	NA	NA	2.8	NA	NA	NA	1.9

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.2.5 Secchi Depth (Water Clarity) in Skerryvore Area 2013 (NA)

Average Water Clarity Results for Previous Years

Year	Station						Average for All Stations
	1	2	3	4	5	6	
2012	2.6	3.5	1.2	2.3	4.6	0.5	2.4
2011	NA	NA	NA	NA	NA	NA	NA
2010	2.5	4.0	2.5	4.7			3.8
2009	2.5	4.8	3.2	5.3			4.5
2008							NA
Site 3							
2005	5.8	3.3	3.3	5.2	NA	NA	4.3
2004	3.6	4.5	3	4.5	NA	NA	3.9

2.2.6 Secchi Depth (Water Clarity) in Pointe au Baril Islands Area 2013

Date	Station											Average for All Stations
	1	2	3	4	5	6	7	8	9	10	11	
30-Jun	5		13.4									9.2
14-Jul	5.5		10							6.7		7.4
11-Aug										4.3		4.3
Average	5.3		11.7							5.5		7.0
Std. Dev.	0.4		2.4							1.7		2.5

Pointe au Baril Islands Area Average Water Clarity Results for Previous Years

Year	Station											Average for All Stations
	1	2	3	4	5	6	7	8	9	10	11	
2012	4.1	2.6	3.1	2.6	3.4	2.0	4.4	9.4	4.4	3.6	3.4	4.0
2011	4.9		7.8	4.1		5.0		4.3		4.3		5.1
2009	5.2		6.7	4.8		5.2		4.6		5.2		5.1
2008	4.4		8.1	4.2		N/A		N/A		3.3		5.0

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom Note: 2010 Data is unavailable.

2.2.7 Secchi Depth (Water Clarity) in Blackstone Lake 2013

Date	Station *				
	1	2	3	4	5
18-May	3.7	NA	NA	NA	NA
27-Jun	4.2	NA	NA	NA	NA
8-Jul	4.8	NA	NA	NA	NA
5-Aug	4.8	NA	NA	NA	NA
12-Aug	5.3	NA	NA	NA	NA
14-Sep	5.8	NA	NA	NA	NA

Average for All Stations
NA

Average	4.8	NA	NA	NA	NA
Std. Dev.	0.6	NA	NA	NA	NA

NA
NA

* All readings taken at one location - middle of channel

Average Water Clarity Results for Previous Years

Year	Station				
	1	2	3	4	5
2012	NA	NA	5.1	NA	NA
2011	5.3	5.3	5.3	5.3	5.3
2010	4.9	NA	NA	NA	NA
2009	4.8	NA	NA	NA	NA
2008	5.1	NA	NA	NA	NA
2007	6.0	NA	6.0	NA	NA
2005	5.4	4.7	5.8	5.3	4.6
2004	4.1	4.6	4.4	3.8	4.4
2003	4.7	4.5	4.8	4.9	4.2

Average for All Stations
NA
5.3
NA
NA
NA
NA
5.1
4.3
4.6

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.2.8 Secchi Depth (Water Clarity) in Crane Lake 2013

Date	Station					
	1	2	3	4	5	6
29-Jun	4.4	4.5	4	4.2	4	3.8
21-Jul	5	5	5.4	5.2	5	5.2
4-Aug	5	4.5	4.7	4.1	5	5.1
17-Aug	6	5.5	5.6	5.7	5.2	6.1
2-Sep	4.7	4	4.2	4	4.3	4.5
25-Sep	5.1	5	4.9	4.8	4.6	5.2
Average	5.0	4.8	4.8	4.7	4.7	5.0
Std. Dev.	0.5	0.5	0.6	0.7	0.5	0.8

Average for All Stations
4.2
5.1
4.7
5.7
4.3
4.9
4.8
0.6

Average Water Clarity Results for Previous Years

Year	Station					
	1	2	3	4	5	6
2012	5.7	5.4	5.2	4.8	5.0	5.4
2011	4.9	4.7	4.9	4.7	4.8	4.8
2010	4.8	4.9	4.8	4.5	4.9	5.0
2009	4.8	4.6	4.7	4.5	4.3	5.0
2008	4.2	4.3	4.4	4.2	4.0	4.9
2007	5.3	4.8	4.6	4.2	4.2	5.1
2006	4.2	4.0	4.2	4.1	4.3	5.1
2005	4.7	4.7	4.7	4.5	4.8	4.8
2004	4.3	4.4	4.1	4.4	4.1	4.4
2003	2.6	2.6	2.6	2.5	2.8	2.9

Average for All Stations
5.3
4.8
4.8
4.6
4.4
4.7
4.3
4.7
4.3
2.7

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.2.9 Secchi Depth (Water Clarity) in Healey Lake 2013

Date	Station						
	1	2	3	4	5	6	7
6-Jul	3.4	2.7	2.7	3	2.7	3	1.8
28-Jul	3	3	3.4	2.7	2.7	2.7	1.8
11-Aug	3	3	3	2.7	2.7	2.7	1.8
Average	3.1	2.9	3.0	2.8	2.7	2.8	1.8
Std. Dev.	0.2	0.2	0.4	0.2	0.0	0.2	0.0

Average for All Stations
2.8
2.8
2.7
2.7
0.0

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

Average Water Clarity Results for Previous Years

Year	Station						
	1	2	3	4	5	6	7
2012	3.4	3.0	3.6	3.4	3.4	3.4	2.0
2011	3.0	3.0	3.3	3.4	3.4	3.0	1.7
2009	0.0	0.0	0.2	0.0	0.0	0.0	0.2
2008	2.7	2.6	3	3.2	3	2.8	1.7
2007	3.3	3	3.5	3.4	3.1	3.2	1.7
2006	3.1	2.8	3.7	3.4	3.5	3.5	1.7
2005	3	2.9	3.5	3.6	3.2	3.5	1.6
2004	2.9	3.2	3	3.3	3.2	3.2	1.1
2003	2.6	2.5	3	2.9	3.1	2.7	1.3

Average for All Stations
3.2
3.0
0.0
2.7
3.0
3.1
3.0
2.9
2.8

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom
 2010 Results unavailable.

2.2.10 Secchi Depth (Water Clarity) in Kapikog Lake 2013

Date	Station								Average for All Stations
	1	2	3	4	5	6	7	8	
9-Jul	4.6	4.3	4.6	4.3	4.3	4.3	4.3	4.6	4.4
28-Aug	4.3	5.2	5.5	5.2	5.2	5.8	5.5	5.2	5.2
Average	4.5	4.8	5.1	4.8	4.8	5.1	4.9	4.9	4.8
Std. Dev.	0.2	0.6	0.6	0.6	0.6	1.1	0.8	0.4	0.6

Average Water Clarity Results for Previous Years

Year	Station								Average for All Stations
	1	2	3	4	5	6	7	8	
2012	4.6	5.1	5.4	4.9	5.4	4.8	5.1	5.1	5.0
2011	4.6	5.0	4.9	4.8	4.8	4.8	5.1	4.9	4.9
2010	4.5	5.0	4.9	4.8	4.9	4.9	5.1	4.9	4.9
2009	4.3	4.3	4.2	NA	4.3	4.4	4.3	4.2	4.3
2008	4.0	4.1	4.0	NA	4.1	4.3	4.1	4.0	4.1
2007	3.7	3.8	3.9	NA	4.1	4.0	4.0	4.0	4.0
2006	4.0	4.0	3.9	NA	4.3	4.2	4.2	4.2	4.1
2005	4.3	4.5	4.3	NA	4.3	4.5	4.4	4.6	4.4
2004	3.8	3.7	4.2	NA	3.8	4.3	4.3	4.2	4.1
2003	3.1	3.4	3.3	2.9	3.1	3.2	3.1	3.4	3.2

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.2.11 Secchi Depth (Water Clarity) in Naiscoot Lake 2013 (NA)

Average Water Clarity Results for Previous Years

Year	Station					
	0	1	2	3	4	2a
2012	3.7	3.7	3.9	3.7	3.5	4.0
2011	4.2	4.2	4.1	3.8	3.5	4.1
2010	4.2	4.3	4.1	4.0	3.8	4.2
2009	3.4	3.7	3.3	3.2	3.2	3.5
2008	3.6	3.5	3.6	3.3	3.1	NA
2007	4.1	3.9	3.9	3.9	3.6	NA

Average for All Stations
3.8
4.0
4.1
3.4
3.4
3.9

Depths in metres (m), NA = Not Available, Std. Dev. = Standard Deviation, t.b. = visible to bottom

2.3 Bacterial Monitoring

Results of bacterial monitoring in a number of locations of the Township of The Archipelago are provided by location in this section of the report.

2.3.1 Bacterial Reference Guidelines and Objectives

The following bacterial guidelines and objectives are provided to assist in the interpretation of bacterial monitoring results presented in this report.

Provincial Regulatory Guideline levels for total coliforms (TC) are as follows:

- 1,000 – levels higher than this are considered unsuited for recreational water use;
- 200 – levels higher than this are considered to be indicative of deteriorating water quality; and
- 10 – levels higher than this are considered unsafe for human consumption.

NOTE: total coliforms are no longer used as a regulatory guideline in Provincial Water Quality Objectives. Total coliform levels have been found to be too variable and are largely considered to be a natural component of ecosystems.

The objectives for *E. coli* (EC) are as follows:

- 100 – levels higher than this are considered unsuited for recreational water use; and
- 0 – levels higher than this are considered unsafe for human consumption without prior treatment.

NOTE: provincial bacterial levels are to be based on a geometric mean of five samples taken in the same local area at the same time. Also, provincial bacteria standards are intended to provide suitable standards with respect to human health risks.

Based on a number of years of intensive bacterial monitoring throughout the Township of Georgian Bay and the Township of The Archipelago, the following has been recommended as a suggested bacterial objective for recreational waters of Georgian Bay and the associated inland lakes:

- **Total Coliforms (annual average):** - **100 TC**
- ***E. Coli* (annual average):** - **10 EC**

The following tables present the data by sample area for each sampling location and date within that area. A calculated standard deviation and average is presented for each sample location and an average of all sampling locations for each general area is also provided.

Recent heavy rain events are indicated by (**) beside the sampling dates and medium to light recent rain events are indicated by (*) beside each sample date.

2.3.1 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Sans Souci Area 2013

Date	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
1-Jul	619	3	30	3	102	5	151	0	388	132	13	3	146	0	207.0	20.9
20-Jul	307	5	36	11	16	0	43	11	83	13			43	8	88.0	8.0
11-Aug	49	5	11	0	19	0	25	3	213	11	11	0	25	3	50.4	3.1
25-Aug	106	5	49	0	3	0	11	3	39	3	5	0	0	0	30.4	1.6
1-Sep	114	3	0	0	16	5	11	5	65	8	0	0	43	5	35.6	3.7
Average	239.0	4.2	25.2	2.8	31.2	2.0	48.2	4.4	157.6	33.4	7.3	0.8	51.4	3.2	82.3	7.5
Std. Dev.	233.7	1.1	19.6	4.8	40.1	2.7	59.0	4.1	145.2	55.2	5.9	1.5	55.7	3.4	73.3	7.9

Average Bacterial Monitoring Results for Previous Years

Year	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	368.8	20.8	30.4	0.6	38.6	2.2	63.0	10.4	71.6	12.4	7.0	1.6	41.8	2.2	88.7	7.2
2012 SD	563.6	27.0	18.7	1.3	15.4	2.2	74.8	12.8	52.3	15.6	6.4	3.6	26.5	3.5	79.4	5.7
2011 Avg	98.3	16.3	28.8	2.0	33.0	6.8	40.8	7.5	226.8	6.3	11.0	0.0	51.3	0.0	70.0	5.5
2011 SD	98.0	30.5	17.1	4.0	24.3	6.2	27.2	11.9	116.1	12.5	9.2	0.0	39.1	0.0	30.6	4.5
2010 Avg	219.4	2.2	90.0	3.6	82.0	9.2	83.6	7.8	142.2	5.8	34.2	0.0	65.8	4.2	102.5	4.7
2010 SD	269.7	3.5	63.9	3.5	33.1	9.7	67.8	8.2	62.1	7.8	34.4	0.0	27.8	2.9	48.8	1.8
2009 Avg	17.9	1.3	17.9	3.1	43.1	10.0	16.1	4.7	346.7	5.7	5.7	1.9	39.0	0.9	69.5	3.9
2009 SD	13.7	1.6	22.7	1.7	49.6	23.0	10.3	9.2	408.0	7.6	6.0	3.3	30.4	1.5	69.6	4.2
2008 Avg	347.9	14.6	36.0	1.0	41.8	3.0	30.4	3.5	124.1	23.5	8.0	0.4	100.5	1.4	98.4	6.8
2008 SD	840.5	30.9	21.2	1.9	23.5	4.9	13.7	3.1	95.5	59.7	10.9	1.1	199.1	2.0	114.8	10.4
2007 Avg	12.6	1.0	29.8	2.2	37.0	2.2	51.4	1.2	106.4	3.2	9.4	0.0	131.6	0.6	54.0	1.5
2007 SD	8.6	2.2	32.5	2.2	37.6	2.2	36.8	1.6	126.0	5.6	9.1	0.0	154.8	1.3	38.6	1.2
2006 Avg	86.7	1.4	33.6	1.6	47.9	2.3	40.4	0.9	132.1	3.0	18.9	0.9	453.6	23.3	116.2	4.8
2006 SD	122.1	2.4	28.5	2.1	31.8	2.3	15.0	1.5	122.3	2.2	15.4	1.5	882.7	54.2	128.7	8.2

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2005 Avg	39.3	0.9	27.1	2.0	40.7	1.6	77.0	5.0	61.9	3.6	15.2	0.0	56.1	2.4	46.4	2.4
2005 SD	27.3	1.5	15.3	2.0	42.4	2.1	66.3	6.9	48.0	4.4	22.5	0.0	39.9	4.0	20.2	2.5
2004 Avg	24.7	0.4	40.1	1.6	42.6	2.7	72.3	2.4	67.7	4.6	9.0	0.0	48.0	1.3	43.5	1.9
2004 SD	21.4	1.1	25.5	2.1	27.1	3.0	52.8	2.9	51.6	5.2	12.0	0.0	35.2	1.6	19.4	1.0
2003 Avg	415.0	19.3	37.6	0.6	35.6	2.8	366.6	45.6	109.7	12.3	8.6	3.6	8.6	3.6	140.9	10.3
2003 SD	889.0	24.3	38.1	1.3	37.4	4.8	744.0	71.8	70.9	19.8	6.8	5.7	6.8	5.7	133.6	12.46
2002 Avg	32.7	0.3	28.0	1.6	15.6	2.4	16.5	1.1	300.0	4.4	4.4	0.0	41.3	1.4	70.9	1.7
2002 SD	48.0	1.0	35.0	3.0	11.9	4.5	12.0	1.6	748.0	5.7	3.4	0.0	27.7	2.0	316.0	3.4
2001 Avg	14.9	0.0	240.0	1.3	49.5	3.7	42.1	5.1	139.0	1.3	11.7	0.0	81.2	1.4	82.6	1.8
2001 SD	14.4	0.0	724.0	1.8	43.3	5.7	24.7	5.1	204.0	2.2	9.0	0.0	55.1	1.9	260.3	2.2

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.2 Bacterial Sampling of Surface Water for Total Coliforms(TC) and E. Coli (EC) in the Woods Bay Area 2013

Date	Station														Average All Stations	
	1		2		3		5		6		7		TC	EC		
	TC	EC	TC	EC												
18-Jun	11	3	13	3	19	5	8	3	49	5	11	3	18.5	3.7		
9-Jul	11	3	13	0	65	5	11	3	25	5	307	3	72.0	3.2		
26-Jul	25	0	11	3	5	0	13	13	166	30	8	5	38.0	8.5		
9-Aug	28	8	43	3	94	5	13	3	52	5	39	3	44.8	4.5		
25-Aug	3	3	22	0	30	3	83	0	19	0	11	0	28.0	1.0		
15-Sep	11	0	22	3	22	3	5	0	28	0	22	3	18.3	1.5		
Average	14.8	2.8	20.7	2.0	39.2	3.5	22.2	3.7	56.5	7.5	66.3	2.8	36.6	3.7		
Std Dev	9.6	2.9	11.9	1.5	33.5	2.0	30.0	4.8	55.3	11.3	118.5	1.6	20.3	2.7		

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Average Bacterial Monitoring Results for Previous Years

Year	Station												Average All Stations	
	1		2		3		5		6		7			
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2012 Avg	87.3	5.0	53.0	4.9	28.4	6.9	30.6	3.4	67.9	5.0	23.7	4.6	48.5	5.0
2012 SD	59.6	6.3	30.3	4.0	16.7	4.8	33.1	2.9	79.2	4.2	26.3	3.4	24.9	2.1
2011 Avg	105.6	4.6	32.6	2.3	52.9	6.1	18.4	3.4	47.1	7.4	33.1	4.1	48.3	4.7
2011 SD	105.4	4.6	17.1	2.3	68.8	4.1	10.0	2.9	34.7	12.0	27.8	4.9	24.9	3.0
2009 Avg	48.4	11.3	25.7	4.1	46.2	22.3	49.2	17.0	33.6	12.8	181.3	20.3	64.7	15.1
2009 SD	36.5	18.3	14.6	3.8	25.7	18.1	38.6	8.9	17.8	10.3	219.0	21.4	53.1	11.8
2008 Avg	136.0	29.0	105.0	7.3	171.0	23.5	112.3	15.8	42.3	10.3	74.0	5.5	106.8	15.2
2008 SD	81.6	31.9	91.7	5.9	100.9	8.6	55.6	10.5	16.5	8.5	26.1	3.8	44.1	6.9
2007 Avg	53.8	9.6	108.3	18.3	77.0	30.4	48.5	12.8	171.0	5.5	43.3	9.3	85.2	16.3
2007 SD	31.2	7.8	107.1	20.1	97.6	25.6	71.7	20.3	278.1	3.8	30.8	6.2	59.8	12.1
2006 Avg	91.0	28.3	85.3	5.8	43.8	14.3	43.5	5.8	35.0	2.0	19.3	7.3	53.0	10.5
2006 SD	69.2	31.4	20.6	1.5	11.6	5.3	27.2	3.8	34.0	2.4	10.2	2.9	25.2	6.8
2005 Avg	77.8	15.3	68.6	5.4	62.8	8.5	104.2	22.2	35.8	3.5	88.6	12.4	73.6	12.6
2005 SD	49.7	14.3	58.2	6.2	32.3	5.3	58.5	38.2	35.9	5.2	95.3	9.2	26.0	10.1
2004 Avg	155.8	9.4	95	6.2	46.4	11.6	73.6	9.6	189	13.4	66.6	10.8	66.6	10.8
2004 SD	199.3	3.5	54.6	3.9	27.8	8.2	49.6	5.5	209.9	10.7	49.7	7.5	49.7	7.5
2003 Avg	198.4	28.6	174.8	13.4	182.6	17.0	237.4	13.8	170.4	12.0	132.2	7.0	182.6	15.3
2003 SD	176.7	37.7	65.6	16.3	57.3	13.0	170.0	13.3	86.7	13.9	98.1	8.1	77.1	15.9
2002 Avg	75.0	4.8	108.0	6.0	46.6	8.0	107.2	11.4	73.4	1.2	66.6	8.2	79.3	6.6
2002 SD	48.0	4.9	37.0	4.7	26.1	8.0	39.7	9.9	33.1	1.6	35.4	7.4	40.5	6.9

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station												Average All Stations	
	1		2		3		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2001 Avg	158.0	5.8	113.0	5.6	21.4	3.4	70.5	6.0	39.1	2.1	60.4	3.6	77.1	4.4
2001 SD	171.0	7.2	91.2	2.7	17.0	5.4	21.3	6.1	16.9	2.8	33.1	4.3	62.0	1.8

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*
 2010 data unavailable

2.3.3 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E.Coli (EC) in the South Channel Area 2013 (NA)

Date	Station											
	1		3		4		5		6		7	
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
15-Jun	87	28	65	5	16	3	16	0	3	0	43	0
8-Jul	289	87	62	8	39	3	28	0	22	0	106	8
9-Aug	559	36	52	5	22	3	16	3	30	0	46	5
15-Sept	141	0	94	0	11	0	25	3	33	0	30	0
Average	269.0	37.8	68.3	4.5	22.0	2.3	21.3	1.5	22.0	0.0	56.3	3.3
Std. Dev.	211.4	36.3	18.0	3.3	12.2	1.5	6.2	1.7	13.5	0.0	33.9	3.9

Date	Station								Average All Stations	
	8		12		13		14		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC		
15-Jun	11	0	8	0	62	22	13	3	32.4	6.1
8-Jul	25	0	49	5	90	16	62	11	80.4	13.8
9-Aug	83	22	19	0	110	11	94	25	103.1	11
15-Sept	11	0	39	0	72	8	43	5	49.9	1.6
Average	32.5	5.5	28.8	1.3	83.5	14.3	53.0	11.0	66.5	8.1
Std. Dev.	34.3	11.0	18.6	2.5	21.1	6.1	34.0	9.9	31.5	5.4

Average Bacterial Monitoring Results for Previous Years

Year	Station											
	1		3		4		5		6		7	
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2012 Avg	285.8	23.3	23.8	2.0	22.3	2.0	19.5	0.0	21.5	1.5	37.0	0.0
2012 SD	174.9	7.5	14.1	2.4	17.3	2.4	7.0	0.0	14.9	3.0	18.8	0.0
2011 Avg	726.0	58.0	67.8	5.0	33.2	1.8	18.6	0.0	35.2	1.2	36.2	2.4
2011 SD	958.4	49.4	38.0	6.3	24.8	1.6	16.2	0.0	32.2	1.6	30.5	1.3
2009 Avg	187.5	23.3	53.3	4.8	54.8	1.0	14.0	0.8	21.3	0.0	38.7	2.2
2009 SD	84.4	9.1	26.7	1.8	39.8	1.5	11.4	2.0	16.8	0.0	21.6	2.5
2008 Avg	354.2	47.0	57.3	3.7	96.3	4.2	29.5	6.0	32.0	2.8	34.8	2.8
2008 SD	255.4	53.5	24.3	4.8	129.4	8.8	44.9	13.3	31.5	4.3	30.4	2.9
2007 Avg	1495.9	73.8	74.0	2.4	84.1	3.6	38.7	2.4	34.7	2.3	62.9	3.1
2007 SD	1108.8	60.5	45.1	2.8	81.5	4.1	23.3	2.8	25.3	4.4	47.3	4.0
2006 Avg	477.0	56.9	250.8	4.4	35.9	3.3	87.3	0.4	48.3	2.8	40.4	3.8
2006 SD	397.7	36.1	334.8	4.8	30.2	3.0	171.6	1.1	42.9	2.8	29.5	6.5
2005 Avg	819.5	219.7	125.7	1.2	203.1	0.0	632.7	4.2	72.5	0.3	320.2	4.3
2005 SD	1110.4	305.1	263.6	1.5	423.5	0.0	1034.3	10.2	118.8	0.9	745.1	10.3
2004 Avg	529.1	43.7	1114.3	8.2	1202.6	2.8	1115.9	2.7	833.3	4.2	901.9	1.1
2004 SD	777.4	23.8	1243.0	8.7	1186.8	4.1	1062.9	4.3	1193.3	7.7	1146.7	2.2
2003 Avg	677.9	38.0	48.3	5.0	26.1	0.9	94.6	14.0	353.3	0.0	374.1	1.7
2003 SD	834.1	26.3	65.6	11.2	17.3	1.5	122.2	37.0	913.1	0.0	904.4	2.0
2002 Avg	1789.0	91.0	794.0	3.4	489.0	0.9	136.0	0.9	726.0	1.6	748.0	0.9
2002 SD	1085.0	59.0	784.0	2.9	862.0	1.5	89.0	1.5	1160.0	3.0	942.0	1.5
2001 Avg	2148.0	113.0	860.0	11.9	1021.0	5.3	874.0	8.9	866.0	9.9	1139.0	3.0
2001 SD	731.0	87.1	887.0	16.2	1009.0	10.1	1066.0	9.2	1081.0	9.0	1209.0	1.7

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station								Average All Stations	
	8		12		13		14		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	26.8	1.5	32.3	2.8	106.5	12.3	47.8	1.5	62.3	6.8
2012 SD	10.8	1.7	11.7	3.8	38.8	12.7	39.3	1.7	20.8	3.6
2011 Avg	38.4	1.6	65.8	4.8	157.8	16.0	67.2	4.2	120.9	8.4
2011 SD	22.0	2.3	53.1	2.0	73.6	9.7	44.4	2.9	111.0	3.8
2009 Avg	59.8	3.7	63.7	5.8	138.7	30.5	82.7	3.3	69.0	8.7
2009 SD	37.5	4.8	45.1	6.7	59.9	15.2	63.0	4.0	25.3	5.6
2008 Avg	122.2	4.0	63.5	7.2	209.7	13.7	119.5	7.3	108.2	9.1
2008 SD	181.5	4.1	37.5	7.3	125.3	10.1	130.8	7.4	37.4	4.3
2007 Avg	107.6	4.0	87.4	10.6	178.2	19.0	64.3	2.6	222.8	12.4
2007 SD	148.6	4.8	51.1	8.7	132.0	19.1	38.2	2.5	124.7	5.7
2006 Avg	43.6	1.0	57.4	6.1	264.1	12.9	452.1	29.5	175.7	12.1
2006 SD	47.0	1.9	57.5	7.9	375.8	10.5	807.2	60.3	145.0	9.2
2005 Avg	271.4	3.2	69.1	2.7	61.7	7.8	70.0	1.0	278.8	25.5
2005 SD	757.8	6.2	92.6	4.1	34.0	8.9	39.3	1.7	319.6	31.3
2004 Avg	564.3	3.3	1408.6	10.7	1058.2	27.1			969.8	11.5
2004 SD	763.6	5.1	1205.3	13.1	1059.2	52.5			609.6	6.9
2003 Avg	23.4	0.4	450.9	6.0	77.1	8.6			231.2	8.0
2003 SD	24.6	1.1	883.3	4.5	39.1	9.5			213.4	5.8
2002 Avg	631.4	2.4	462.0	14.6	1210.0	17.7			780.0	14.0
2002 SD	923.3	1.8	870.0	14.2	972.0	21.1			961.0	32.0
2001 Avg	375.0	3.0	998.0	11.0	1330.0	27.4			1067.9	21.5
2001 SD			999.0	11.1	1039.0	34.5			142.1	27.9

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*
 2010 data unavailable

2.3.4 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Sturgeon Bay Area 2013

Date	Station															
	1		2		3		4		5		6		7		8	
	TC	EC														
27-Jun	19	0	65	8	28	3	25	0	16	0	72	3	52	3	62	3
15-Jul	33	0	33	5	19	3	16	0	13	0	33	0	16	0	25	3
20-Aug	22	0	25	0	13	0	11	0	5	0	106	0	110	16	110	5
9-Sep	87	5	39	5	25	3	194	5	28	0	123	3	90	3	62	3
Average	40.3	1.3	40.5	4.5	21.3	2.3	61.5	1.3	15.5	0.0	83.5	1.5	67.0	5.5	64.8	3.5
Std. Dev.	31.7	2.5	17.3	3.3	6.7	1.5	88.5	2.5	9.5	0.0	39.8	1.7	41.6	7.1	34.8	1.0

Date	Station												Average All Stations	
	9		10		11		12		13		14			
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
27-Jun	49	3	55	22	28	5	22	0	5	0	13	0	36.5	3.5
15-Jul	22	0	46	5	11	0	25	3	8	0	11	0	22.2	1.4
20-Aug	28	3	94	0	30	0	62	16	5	3	25	0	46.1	2.9
9-Sep	28	0	127	0	22	0	36	0	11	0	39	0	65.1	1.8
Average	31.8	1.5	80.5	6.8	22.8	1.3	36.3	4.8	7.3	3.0	22.0	0.0	39.7	2.6
Std. Dev.	11.8	1.7	37.3	10.4	8.5	2.5	18.2	7.6	2.9	1.5	12.9	0.0	24.1	2.9

Average Bacterial Monitoring Results for Previous Years

Year	Station															
	1		2		3		4		5		6		7		8	
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2012 avg	48.6	4.4	30.4	4.4	12.6	1.0	36.4	8.4	19.2	1.2	95.8	2.6	102.6	6.6	81.0	1.6
2012 SD	22.1	6.7	17.6	6.7	11.7	2.2	26.8	11.3	7.3	1.6	37.2	2.5	49.7	5.7	48.5	3.6
2011 Avg	448.2	10.8	278.6	10.4	352.6	12.6	314.0	20.2	552.8	1.6	644.2	9.4	664.8	14.2	196.6	8.4
2011 SD	536.2	11.8	330.8	12.8	573.3	10.2	488.9	35.2	1048.0	2.3	995.8	13.2	988.6	6.1	193.8	5.7
2010 Avg	1242.5	7.5	656.3	4.5	912.0	4.8	148.5	5.5	664.8	4.0	297.8	7.5	240.5	14.5	269.5	2.8

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station															
	1		2		3		4		5		6		7		8	
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2010 SD	1365.0	8.3	1179.8	3.3	1144.3	9.5	149.2	9.1	1174.0	6.2	428.4	11.9	308.3	12.2	446.3	3.8
2009 Avg	1105.5	4.8	84.0	9.0	633.0	6.3	650.8	7.5	67.8	1.5	1264.5	28.0	1574.0	4.8	312.3	27.5
2009 SD	1143.5	2.4	64.3	13.2	1194.1	5.6	1182.4	5.2	57.0	1.7	1339.4	35.4	996.9	4.6	420.2	44.7
2008 Avg	78.0	7.5	44.0	3.5	85.0	10.5	132.0	1.5	17.8	2.0	70.0	13.8	71.3	8.0	72.0	5.3
2008 SD	27.9	7.3	4.4	5.2	55.0	19.1	191.1	1.7	12.2	4.0	49.8	17.3	47.4	5.7	21.6	5.6
2007 Avg	507.5	35.0	60.5	8.8	193.8	8.3	137.0	9.0	69.3	2.0	100.0	6.8	137.0	24.8	152.8	15.8
2007 SD	793.5	28.7	55.4	8.2	217.9	11.8	110.2	18.0	44.5	4.0	5.2	3.5	66.1	32.2	177.0	15.3
2006 Avg	218.2	17.5	500.7	132.5	85.5	15.0	88.8	14.2	94.8	63.0	156.2	19.8	225.2	22.8	127.8	43.8
2006 SD	267.0	21.6	947.8	277.1	55.8	21.5	60.8	22.3	175.1	140.9	164.0	27.4	242.7	16.3	111.2	74.2
2005 Avg	271.3	24.3	383.7	11.3	46.6	7.6	29.7	7.7	41.0	7.3	124.7	26.1	105.6	18.9	46.1	11.3
2005 SD	268.1	27.2	899.9	8.9	56.5	8.8	24.0	12.1	61.3	7.6	93.2	30.5	93.1	11.4	22.3	9.5
2004 Avg	159.4	5.0	267.4	2.0	395.0	2.3	311.1	1.6	186.0	0.4	88.6	3.6	247.9	11.3	174.7	2.6
2004 SD	135.6	3.6	487.5	2.0	619.3	4.9	385.7	2.1	146.8	1.1	48.0	3.7	330.5	12.6	235.7	3.4
2003 Avg	1107.5	4.6	466.5	2.6	744.3	0.4	991.8	1.4	963.4	0.4	570.6	6.8	332.8	2.6	688.0	1.6
2003 SD	1133.1	6.6	807.9	3.7	1046.0	1.1	1190.7	2.0	1210.4	1.1	799.9	11.5	419.7	5.0	1077.9	3.1
2002 Avg	1039.0	9.7	871.0	5.4	548.0	1.8	619.0	2.4	941.0	1.8	488.0	4.1	226.0	6.0	212.0	11.6
2002 SD	1066.0	10.4	1031.0	8.0	826.0	2.9	669.0	2.1	1229.0	3.9	569.0	6.1	332.0	6.0	193.0	16.8

Year	Station												Average All Stations	
	9		10		11		12		13		14			
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2012 Avg	51.6	2.2	158.4	3.8	37.2	2.2	58.0	3.8	57.8	2.0	47.5	4.8	63.3	3.5
2012 SD	30.2	2.2	178.0	6.9	23.4	2.2	55.1	5.4	40.7	2.4	10.1	4.6	38.3	3.8
2011 Avg	170.2	11.4	305.6	13.2	100.4	5.2	623.0	11.4	98.3	6.8	132.3	12.0	151.9	12.0
2011 SD	92.4	12.7	219.1	10.1	35.0	4.8	1009.8	10.3	65.2	9.0	48.4	5.2	68.2	8.3
2010 Avg	267.3	8.3	210.8	2.8	150.0	6.0	643.5	2.8	63.5	2.8	647.8	5.3	458.2	5.6
2010 SD	447.8	8.5	201.9	3.8	240.4	3.5	1187.5	2.1	83.1	3.8	1184.5	2.1	557.2	4.5
2009 Avg	122.0	9.0	671.5	21.3	100.0	4.0	78.0	7.5	63.8	4.0	172.5	2.8	492.8	9.8

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station												Average All Stations	
	9		10		11		12		13		14		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2009 SD	130.8	11.9	1168.7	25.0	85.7	3.4	74.8	10.4	34.8	1.2	225.5	2.1	194.8	10.4
2008 Avg	82.5	13.0	82.8	6.8	83.8	2.0	49.3	4.0	40.8	3.3	100.5	5.3	72.1	6.2
2008 SD	20.7	8.5	57.2	7.0	97.0	2.4	44.5	4.6	14.6	2.4	58.8	7.5	25.7	5.4
2007 Avg	93.8	18.8	125.0	8.5	30.3	4.0	65.0	9.5	54.3	1.3	34.3	2.8	125.7	11.1
2007 SD	39.0	27.2	54.1	7.3	5.5	3.4	29.7	10.0	39.2	2.5	10.4	2.1	81.7	10.5
2006 Avg	218.8	47.8	783.2	98.0	346.2	8.2	139.8	10.5	72.0	3.8	507.3	26.7	254.6	37.4
2006 SD	128.7	71.9	1019.4	106.6	662.3	10.1	108.7	6.8	31.7	3.2	940.0	23.2	208.5	52.8
2005 Avg	117.7	16.3	277.4	17.6	48.0	9.0	56.0	18.4	74.6	12.9	34.7	7.3	118.6	14.2
2005 SD	133.4	23.1	486.3	20.0	28.9	9.4	32.4	16.4	93.0	12.4	11.7	7.6	92.8	11.3
2004 Avg	419.7	4.3	186.6	11.3	183.7	3.9	109.3	1.6	183.4	2.0	148.0	4.4	218.6	4.0
2004 SD	884.3	1.9	132.8	10.0	248.2	4.4	111.3	2.1	299.9	2.0	161.7	4.4	250.5	1.6
2003 Avg	664.3	11.5	914.6	6.8	508.4	4.3	742.4	5.1	519.8	3.0	1084.1	1.1	729.3	3.8
2003 SD	1086.9	26.4	1036.3	11.5	888.3	8.1	1149.8	13.6	897.3	6.7	1254.5	3.0	836.4	5.5
2002 Avg	186.0	11.5	204.0	6.0	355.0	4.8	209.0	6.8	145	3	328	8.2	456	6
2002 SD	242.0	14.8	220.0	7.1	837.0	6.4	343.0	10.0	201	5	469	15.8	708	9.4

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SD = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.4.1 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Skerryvore Area 2013 (NA)

Average Bacterial Monitoring Results for Previous Years

Year	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	52.0	6.0	54.0	7.5	44.3	12.3	41.0	11.0	42.3	0.0	528.8	23.0	127.0	10.0
2012 SD	32.0	4.7	26.2	7.3	12.5	11.4	12.9	16.8	49.2	0.0	472.9	21.6	91.2	4.7
2011 Avg	95.8	13.5	37.4	4.1	303.3	11.8	56.0	7.0	39.8	0.8	704.8	87.3	206.1	20.7
2011 SD	75.0	13.7	33.8	4.8	491.4	11.8	45.1	12.1	33.7	1.5	1152.1	123.3	287.0	22.5
2010 Avg	533.2	5.4	56.2	1.8	94.8	5.2	52.6	8.2	60.8	1.0	238.0	37.0	172.6	9.8
2010 SD	1058.1	5.1	45.6	1.6	49.8	3.3	26.5	7.4	76.5	2.2	74.7	36.9	196.8	6.5
2009 Avg	73.0	13.2	71.5	3.5	239.8	9.2	56.7	18.8	30.0	0.5	294.2	27.8	127.5	12.2
2009 SD	21.6	19.6	83.2	4.0	458.9	5.5	28.5	17.6	40.9	1.2	147.5	9.7	96.9	6.4
2008 Avg	224.5	3.8	90.5	11.7	134.0	25.7	55.3	14.7	14.5	1.0	417.3	10.8	156.0	11.3
2008 SD	307.9	3.2	115.5	23.4	180.7	35.4	48.4	14.3	9.0	1.5	473.2	7.1	69.8	9.2
2007 Avg	395.5	6.0	49.0	2.3	93.3	13.3	78.5	18.5	22.2	1.0	994.5	125.3	272.2	27.8
2007 SD	430.8	6.9	25.4	3.1	77.7	12.7	85.7	23.7	28.4	1.5	1109.7	119.4	153.7	22.6
2006 Avg	140.2	30.3	53.0	6.3	79.8	16.2	72.2	20.2	10.0	2.3	592.8	33.3	158.0	18.1
2006 SD	112.9	52.5	66.6	7.9	64.3	23.4	106.8	32.9	7.1	2.0	899.9	29.1	140.1	20.2
2005 Avg	1007.0	15.4	1051.6	60.0	1007.8	519.8	1010.6	51.0	1110.6	52.2	1501.2	61.0	1114.8	126.6
2005 SD	1294.2	11.3	1253.7	68.6	1292.9	1065.5	1290.3	61.4	1215.3	38.1	985.2	80.1	1196.5	189.8
2004 Avg	158.8	6.7	174.3	8.8	484.3	22.2	68.7	6.7	225.3	1.0	1296.0	35.2	401.3	13.4
2004 SD	70.4	6.6	224.4	12.4	951.9	34.1	71.7	6.6	465.4	1.5	1029.3	46.2	258.9	9.1
2003 Avg	1037.8	7.4	77.4	1.6	104.4	5.4	58.0	9.4	105.6	2.1	209.7	25.5	259.2	7.8
2003 SD	998.3	2.8	31.4	1.2	41.5	2.0	27.8	6.8	47.2	2.2	97.6	16.0	172.1	3.8
2002 Avg	1905.0	10.8	65.2	7.3	81.2	10.8	332.0	10.8	878.0	3.2	1392.0	40.3	775.0	13.9
2002 SD	961.0	9.1	65.0	9.6	66.8	8.8	465.0	7.3	1003.0	4.4	1156.0	37.3	993.0	19.9
2001 Avg	52.2	4.4	78.4	8.2	55.4	1.6	42.4	7.6	523.0	0.6	2070.0	40.6	470.2	10.5

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2001 SD	38.2	5.0	95.4	6.5	33.5	2.3	36.9	5.7	1064.0	1.3	792.0	49.9	461.5	18.8

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SD = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.4.2 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in the Pointe au Baril Islands Area 2013

Date	Station											
	1		2		3		4		5		6	
	TC	EC	TC	EC								
30-Jun	30	0	22	3	5	0	49	11	72	30		
14-Jul	19	0	13	0	5	0	22	0	22	5	3	0
28-Jul	110	19	76	3	33	8	65	0	83	3	106	11
11-Aug	30	5	62	19	28	0	22	5	46	0	28	5
25-Aug	49	0	171	8	19	0	43	0	83	3	46	3
Average	47.6	4.8	68.8	6.6	18.0	1.6	40.2	3.2	61.2	8.2	45.8	4.8
Std. Dev.	36.5	8.2	62.9	7.5	12.9	3.6	18.5	4.9	26.6	12.3	43.9	4.6

Date	Station										Average All Stations	
	7		8		9		10		11		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
30-Jun	83	5	33	0	43	0	33	3	36	0	40.6	5.2
14-Jul	11	0	11	0	79	0	22	0	43	0	22.7	0.5
28-Jul	36	5	200	8	271	16	233	8	240	36	132.1	10.6
11-Aug	46	0	39	3	127	39	43	3	43	3	46.7	7.5
25-Aug	36	3	36	3	76	0	36	0	13	0	55.3	1.8
Average	42.4	2.6	63.8	2.8	119.2	11.0	73.4	2.8	75.0	7.8	59.5	5.1
Std. Dev.	26.1	2.5	76.9	3.3	90.0	17.1	89.5	3.3	93.1	15.8	42.3	4.1

Average Bacterial Monitoring Results for Previous Years

Year	Station											
	1		2		3		4		5		6	
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC
2012 Avg	59.0	24.4	47.4	9.4	19.2	3.8	19.0	2.8	24.4	2.6	29.8	1.6
2012 SD	77.4	50.1	47.6	16.7	9.1	5.4	10.0	1.8	15.8	3.7	11.0	2.3
2011 Avg	58.0	6.0	127.6	36.2	73.4	4.8	115.6	9.6	69.4	12.4	53.6	8.4
2011 SD	38.1	9.2	80.6	75.4	75.2	6.6	94.8	12.6	39.9	19.3	45.3	10.1
2009 Avg	41.4	2.8	67.6	6.8	17.8	1.8	116.6	2.8	68.4	4.2	99.4	11.4
2009 SD	37.0	3.3	46.6	6.5	15.7	1.6	75.2	1.8	41.5	5.4	79.1	16.3
2008 Avg	22.2	5.6	22.8	7.6	2.8	0.6	17.6	1.6	19.6	1.8	33.6	6.6
2008 SD	20.7	7.6	15.6	2.9	3.3	1.3	11.5	2.3	10.1	1.6	27.5	4.1
2007 Avg	16.4	5.4	39.0	3.4	23.4	6.2	21.4	5.4	37.6	6.0	53.0	17.0
2007 SD	9.2	9.5	45.7	0.9	10.8	3.9	8.7	3.3	32.0	3.5	24.8	22.3
2006 Avg	6.4	3.0	23.8	8.2	19.2	6.4	59.8	5.6	19.5	2.0	37.0	4.0
2006 SD	4.2	0.0	11.4	8.0	12.3	4.2	33.7	1.3	9.4	2.4	20.1	1.2
2005 Avg	176.4	17.4	54.8	19.6	494.8	2.2	45.5	9.0	34.5	2.0	376.6	8.2
2005 SD	177.7	32.8	46.1	18.0	1079.1	2.2	61.3	11.2	40.0	2.4	739.0	12.3
2004 Avg	564.1	9.6	441.0	6.4	526.7	7.4	417.1	24.3	468.0	14.0	455.4	96.7
2004 SD	893.8	10.9	600.3	3.9	915.1	7.4	548.5	31.6	865.5	18.8	868.7	216.3
2003 Avg	64.3	7.3	93.7	11.0	57.0	2.7	60.7	13.7	60.3	3.3	856.0	815.3
2003 SD	29.2	12.7	46.1	12.2	23.1	2.5	30.0	14.4	33.4	2.9	1357.9	1393.1
2002 Avg	56.3	3.0	135.0	2.7	47.7	3.7	52.0	1.7	58.3	3.3	60.0	3.7
2002 SD	41.0	0.0	196.0	4.6	22.3	1.2	39.3	2.9	56.1	2.9	12.3	4.0
2001 Avg	178.0	0.5	40.3	5.8	21.3	1.0	55.7	9.7	28.5	2.3	136.0	10.5
2001 SD	335.6	1.2	28.1	9.5	17.5	1.5	29.8	7.0	13.8	2.0	237.0	20.4

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station										Average All Stations	
	7		8		9		10		11		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	26.4	5.8	81.6	40.0	18.0	2.2	17.0	3.2	35.0	4.4	34.3	8.7
2012 SD	13.8	6.1	179.7	89.4	10.9	2.2	12.6	2.0	18.9	3.5	26.7	14.5
2011 Avg	81.0	4.2	146.8	13.6	56.8	6.4	76.4	4.0	79.2	2.8	85.3	9.9
2011 SD	42.5	4.0	150.9	21.8	35.9	7.8	46.8	4.1	82.3	4.8	48.8	12.3
2009 Avg	49.0	1.6	94.2	19.4	113.0	8.8	64.6	11.4	103.5	7.5	75.0	7.0
2009 SD	24.3	3.6	80.3	17.2	91.9	3.5	53.1	14.6	90.8	10.4	38.5	6.2
2008 Avg	24.2	2.6	18.0	5.0	58.0	12.6	9.0	1.6	16.6	3.2	22.2	4.4
2008 SD	22.3	2.5	9.9	6.3	64.0	14.8	5.4	2.3	8.4	4.9	6.8	2.0
2007 Avg	21.8	2.2	5.0	0.0	20.6	1.8	28.0	1.0	62.2	1.8	29.9	4.6
2007 SD	12.6	3.5	8.0	0.0	18.3	1.6	11.0	2.2	78.4	1.6	12.2	2.3
2006 Avg			0.8	0.0	41.8	3.4					25.8	4.2
2006 SD			1.5	0.0	14.9	2.9					9.4	1.1
2005 Avg			7.8	1.2	508.4	7.0					211.0	8.3
2005 SD			10.0	1.6	1071.0	7.0					374.5	7.5
2004 Avg			61.2	0.6	976.9	23.4					493.4	23.5
2004 SD			54.4	1.3	1043.9	27.1					530.4	32.0
2003 Avg					643.0	46.7					262.1	128.6
2003 SD					913.0	74.0					333.3	215.6
2002 Avg					187.0	41.7					85.2	8.5
2002 SD					56.7	5.1					86.7	14.2
2001 Avg					1624.0	812.0					297.7	120.3
2001 SD					1239.0	1249.0					445.3	469.5

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SD = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*
 2010 data unavailable

2.3.5 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Bayfield and Nares Inlets 2013

Date	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
30-Jun	16	0	43	0	28	3	36	13	13	3	55	8	31.8	4.5
13-Jul	52	0	52	0	11	0							38.3	0.0
29-Jul	33	11	2424	22	2424	30	106	3	52	5	49	3	848.0	12.3
10-Aug	39	0	39	3	119	0	90	0	141	0	127	3	92.5	1.0
31-Aug	119	3	156	0	350	19							208.3	7.3
Average	51.8	2.8	542.8	5.0	586.4	10.4	77.3	5.3	68.7	2.7	77.0	4.7	443.2	6.2
Std. Dev.	39.7	4.8	1052.7	9.6	1036.1	13.5	36.7	6.8	65.6	2.5	43.4	2.9	572.5	8.7

Please Note, Different Test Dates For Station 4, 5 & 6 (Bayfield Inlet)

Average Bacterial Monitoring Results for Previous Years

Year	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	58.0	2.0	77.8	6.8	254.0	6.0	81.3	6.3	420.0	12.0	403.3	14.7	300.1	7.4
2012 SD	31.4	2.7	45.0	11.9	256.7	8.0	25.5	5.8	653.0	13.9	550.9	21.2	188.2	7.4
2011 Avg	40.3	4.3	25.7	0.0	1625.3	7.7	161.7	7.3	82.0	10.0	52.0	7.3	439.6	2.6
2011 SD	28.7	1.2	4.0	0.0	1383.3	4.6	163.3	10.2	67.1	17.3	46.8	12.7	11.7	1.3
2010 Avg	69.0	4.3	24.7	1.0	197.7	2.0	91.7	3.7	68.3	3.7	49.7	2.0	78.8	1.4
2010 SD	59.0	4.0	7.6	1.7	160.6	1.7	65.5	4.0	27.7	6.4	34.2	1.7	37.9	0.6
2009 Avg	22.5	0.8	37.5	0.8	26.5	0.8	17.8	0.0	59.5	4.0	93.0	6.5	30.3	2.2
2009 SD	23.6	1.7	43.2	1.7	41.8	1.7	15.6	0.0	54.4	6.8	58.6	4.6	19.0	2.3
2008 Avg	19.0	7.3	23.7	5.3	20.7	5.7	25.0	3.0	13.0	0.0	12.0	0.0	20.3	4.9
2008 SD	12.2	7.5	9.3	5.5	8.1	4.6	4.2	0.0	0.0	0.0	1.4	0.0	6.8	4.5

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.6 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Blackstone Lake 2013

Date	Station										Average All Stations	
	1		2		3		4		5		TC	EC
	TC	EC										
8-Jul	19	5	30	0	59	0	13	0	28	19	29.8	4.8
30-Jul	2424	5	1696	0	2424	0	2424	3	2424	0	2278.4	1.6
19-Aug	255	3	289	0	171	3	106	0	62	0	176.6	1.2
5-Sep	110	5	106	5	280	3	119	0	226	0	168.2	2.6
Average	702.0	4.5	530.3	1.3	733.5	1.5	665.5	0.8	685.0	4.8	663.3	2.6
Std. Dev.	1152.1	1.0	784.7	2.5	1130.6	1.7	1173.3	1.5	1162.6	9.5	1078.9	1.6

Average Bacterial Monitoring Results for Previous Years

Year	Station										Average All Stations	
	1		2		3		4		5		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	1322.5	5.5	663.8	5.5	522.5	2.0	932.0	0.8	589.5	2.0	806.1	3.2
2012 SD	1280.6	9.1	1174.7	9.1	328.4	4.0	1085.4	1.5	765.5	2.4	871.4	4.9
2011 Avg	703.4	1.6	294.8	3.8	383.2	2.8	589.6	4.2	360.2	5.0	466.2	3.5
2011 SD	701.2	2.3	332.5	2.9	565.6	3.3	534.8	5.4	305.7	6.3	373.7	1.7
2010 Avg	550.4	1.6	599.4	3.2	644.0	3.8	1360.6	1.6	661.8	3.4	763.2	2.7
2010 SD	1048.6	3.6	1024.3	3.4	1008.8	5.4	1164.5	3.6	992.9	2.9	960.7	2.6
2009 Avg	570.0	3.5	813.3	1.3	351.0	6.3	1290.3	9.5	951.0	5.8	795.1	5.1
2009 SD	570.7	3.3	1077.8	2.5	340.2	2.9	1310.1	8.6	1064.0	5.4	731.9	4.2
2008 Avg	65.0	0.0	54.8	5.3	56.3	0.0	169.0	9.5	375.3	4.0	144.1	3.8
2008 SD	59.5	0.0	46.7	5.6	57.8	0.0	260.1	7.9	663.7	3.4	202.9	1.1
2007 Avg	92.7	7.3	99.5	15.5	144.3	6.0	258.3	15.3	161.3	22.0	163.5	15.0
2007 SD	115.5	7.5	70.0	12.6	84.2	7.7	226.8	20.6	176.0	38.0	137.0	19.1
2006 Avg	24.5	0.0	33.5	0.0	86.5	6.5	94.5	12.0	53.0	1.5	58.4	4.0
2006 SD	7.8	0.0	7.8	0.0	4.9	9.2	46.0	9.9	32.5	2.1	0.6	0.6

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station										Average All Stations	
	1		2		3		4		5		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2005 Avg	524.0	0.0	1034.8	2.0	852.5	1.5	725.8	0.8	324.5	0.8	692.3	1.0
2005 SD	648.3	0.0	1220.6	2.4	1132.9	1.7	846.3	1.5	360.6	1.5	799.8	0.7
2004 Avg	19.0	0.0	34.0	4.0	17.5	1.5	26.0	4.0	22.0	6.5	23.7	3.2
2004 SD	19.8	0.0	12.7	1.4	2.1	2.1	9.9	5.7	15.6	9.2	1.0	2.3
2003 Avg	23.7	2.7	43.0	0.0	18.3	0.0	52.0	2.7	21.7	0.0	31.7	1.1
2003 SD	25.4	2.5	51.4	0.0	11.9	0.0	38.3	2.5	25.0	0.0	29.9	0.9
2002 Avg	21.7	2.7	43.3	1.0	52.7	3.3	59.0	6.0	38.0	4.7	42.9	3.5
2002 SD	23.9	4.6	26.8	1.7	51.6	2.9	41.4	6.6	35.8	2.9	34.2	3.9
2001 Avg	18.3	2.3	13.3	3.3	6.8	1.5	42.3	5.3	NA	NA	20.2	3.1
2001 SD	18.6	1.5	3.8	3.9	3.5	1.7	28.2	2.1	NA	NA	12.1	1.1

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*, NA = Not Available

2.3.7 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Crane Lake 2013

Date	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
29-Jun	43	8	55	13	69	11	98	16	33	16	79	30	63	16
21-Jul	49	0	156	16	69	5	76	5	55	5	102	11	85	7
4-Aug	55	5	188	11	55	5	83	11	76	3	49	3	84	6
17-Aug	13	5	69	8	28	0	55	3	16	0	16	0	33	3
2-Sep	49	3	94	16	33	5	65	8	55	5	62	0	60	6
25-Sep	28	3	33	3	11	3	5	0	22	3	25	3	21	3
Average	40	4	99	11	44	5	64	7	43	5	56	8	57	7
Std. Dev.	16	3	61	5	24	4	32	6	23	6	33	12	26	5

Average Bacterial Monitoring Results for Previous Years

Year	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	482	13	187	19	89	14	66	15	97	15	92	21	169	16
2012 SD	953	13	209	18	66	17	53	21	76	14	67	22	189	16
2011 Avg	53	5	49	12	49	9	74	17	54	6	100	7	63	9
2011 SD	51	4	20	1	14	4	66	16	31	4	63	3	30	4
2010 Avg	36	5	60	9	55	17	64	9	104	14	79	5	66	10
2010 SD	13	3	49	6	29	13	46	4	87	15	65	6	42	4
2009 Avg	45	3	86	10	47	5	56	8	74	14	83	7	65	8
2009 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2008 Avg	50	6	64	10	48	11	51	11	64	22	54	14	55	12
2008 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2007 Avg	135	16	101	19	70	19	112	25	64	25	60	13	90	20
2007 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2006 Avg	62	8	78	18	187	16	199	16	240	13	407	9	196	13
2006 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2005 Avg	795	8	913	10	502	9	555	9	585	8	844	7	699	8
2005 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2004 Avg	1105	4	1175	13	1081	7	1142	8	1077	7	1393	8	1162	8
2004 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2003 Avg	631	6	726	9	499	7	506	5	512	6	696	6	595	6
2003 SD	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.8 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Healey Lake 2013

Date	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC										
6-Jul	11	11	13	0	8	5	13	0	19	0	62	8	11	5	19.6	4.1
28-Jul	72	0	110	0	8	3	33	0	119	3	146	0	28	5	73.7	1.6
11-Aug	83	3	90	3	65	0	177	0	132	5	123	0	39	0	101.3	1.6
25-Aug	151	3	141	5	90	3	119	0	123	3	194	0	79	0	128.1	2.0
Average	55.3	4.7	71.0	1.0	27.0	2.7	74.3	0.0	90.0	2.7	110.3	2.7	26.0	3.3	64.9	2.4
Std. Dev.	38.8	5.7	51.2	1.7	32.9	2.5	89.5	0.0	61.8	2.5	43.4	4.6	14.1	2.9	41.6	1.5

Average Bacterial Monitoring Results for Previous Years

Year	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	100.0	7.0	124.7	1.0	80.7	3.0	86.3	2.0	90.3	3.7	320.3	5.0	112.7	1.0	130.7	3.2
2012 SD	13.7	5.4	33.5	1.7	16.2	0.0	49.1	1.7	7.5	1.2	85.0	0.0	41.5	1.7	26.5	0.6
2011 Avg	33.3	10.0	32.7	5.3	112.0	11.7	18.0	7.0	22.7	4.3	48.7	6.3	21.0	2.7	41.2	6.8
2011 SD	5.5	1.7	12.3	5.5	21.1	7.5	1.7	1.7	14.2	4.0	11.0	2.9	9.5	2.5	4.2	1.7
2009 Avg	65.5	5.5	82.3	10.7	105.7	4.3	83.0	7.3	84.3	9.7	79.7	3.7	177.7	1.0	96.1	6.1
2009 SD	9.2	7.8	35.9	7.4	58.6	1.2	63.7	4.0	61.4	2.9	12.7	1.2	94.6	1.7	44.3	2.0
2008 Avg	11.0	4.0	15.7	2.3	17.0	2.3	13.0	1.7	16.3	3.0	46.3	1.0	14.7	3.3	19.1	2.5
2008 SD	1.0	1.7	11.5	2.1	17.3	0.6	7.9	1.5	8.4	1.0	16.0	1.0	6.5	2.9	6.7	0.2
2007 Avg	101.5	6.3	361.8	8.0	322.8	8.5	323.7	3.7	639.5	2.8	109.3	6.5	660.3	2.0	349.5	5.5
2007 SD	99.5	10.6	389.1	5.8	225.1	4.1	169.0	4.0	1190.2	3.8	44.5	4.4	1176.8	4.0	400.7	3.2
2006 Avg	77.3	6.5	241.3	3.0	130.0	3.8	44.0	1.3	667.0	15.0	61.3	14.8	664.0	5.5	269.3	7.1
2006 SD	52.4	4.4	370.2	0.0	214.2	2.5	53.6	2.5	1172.2	8.9	41.5	15.3	1174.9	4.9	434.7	3.4
2005 Avg	31.8	3.6	25.0	4.0	13.2	3.2	11.0	7.0	4.0	1.5	8.3	4.0	51.4	6.8	31.3	4.5

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station														Average All Stations	
	1		2		3		4		5		6		7		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2005 SD	42.8	3.5	23.5	1.2	12.5	2.0	17.1	12.1	3.4	1.7	7.5	5.2	74.4	1.6	42.8	3.3
2004 Avg	402.7	8.6	89.7	3.1	31.4	2.0	737.3	3.9	47.0	1.1	38.7	2.6	85.3	4.0	204.6	3.6
2004 SD	896.1	9.7	115.3	4.6	38.3	3.0	1156.9	4.9	55.1	2.0	46.5	2.5	129.9	4.1	298.6	3.3
2003 Avg	79.3	20.0	74.7	2.0	36.3	3.7	62.3	5.3	55.7	2.0	62.0	1.0	79.3	4.7	64.2	5.5
2003 SD	30.0	22.9	41.2	1.7	5.8	4.0	43.4	6.8	41.9	1.7	30.6	1.7	59.9	5.7	19.1	5.3
2002 Avg	158.0	6.3	94.3	4.3	230.0	5.0	39.3	6.3	17.0	2.0	55.7	1.0	42.7	1.0	91.1	3.7
2002 SD	66.4	2.9	11.5	4.0	38.7	0.0	13.7	4.2	6.2	1.7	31.8	1.7	14.8	1.7	19.0	1.5
2001 Avg	56.5	3.5	41.5	0.0	113.0	1.3	40.8	0.8	57.8	0.8	33.8	0.8	25.3	0.0	46.1	0.9
2001 SD	15.2	3.3	15.9	0.0	107.0	2.5	26.0	1.5	31.7	1.5	33.7	1.5	5.6	0.0	33.5	1.2

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*
 2010 data unavailable

2.3.9 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E.Coli (EC) in Kapikog Lake

Date	Station																Average All Stations	
	1		2		3		4		5		6		7		8		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
9-Jul	19	8	114	3	114	0	72	8	72	3	55	11	83	5	83	0	76.5	4.8
28-Aug	87	0	46	0	151	0	83	0	136	0	55	0	182	0	90	0	103.8	0.0
Average	53.0	4.0	80.0	1.5	132.5	0.0	77.5	4.0	104.0	1.5	55.0	5.5	132.5	2.5	86.5	0.0	90.1	2.4
Std. Dev.	48.1	5.7	48.1	2.1	26.2	0.0	7.8	5.7	45.3	2.1	0.0	7.8	70.0	3.5	4.9	0.0	19.3	3.4

Average Bacterial Monitoring Results for Previous Years

Year	Station																Average All Stations	
	1		2		3		4		5		6		7		8		TC	EC
	TC	EC	TC	EC	TC	EC	TC	TC	EC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	50.5	4.0	47.0	5.0	46.0	0.0	49.0	0.0	69.5	5.5	69.0	0.0	42.5	1.5	59.5	1.5	54.1	2.2
2012 SD	16.3	1.4	35.4	0.0	22.6	0.0	14.1	0.0	51.6	7.8	19.8	0.0	13.4	2.1	23.3	2.1	6.2	1.7
2011 Avg	51.0	5.3	325.3	2.7	236.3	2.7	267.3	8.0	818.0	2.7	314.0	7.0	590.3	11.7	320.7	3.0	365.4	5.4

Report on 2013 Water Quality Monitoring Program, The Township of The Archipelago

Year	Station																Average All Stations	
	1		2		3		4		5		6		7		8		TC	EC
	TC	EC	TC	EC	TC	EC	TC	TC	EC	EC	TC	EC	TC	EC	TC	EC		
2011 SD	36.7	5.5	530.8	2.5	362.5	4.6	409.5	7.0	1390.8	2.5	472.3	8.2	957.8	9.1	534.6	0.0	585.6	2.6
2010 Avg	51.0	5.3	325.3	2.7	236.3	2.7	267.3	8.0	818.0	2.7	314.0	7.0	590.3	11.7	320.7	3.0	365.4	5.4
2010 SD	36.7	5.5	530.8	2.5	362.5	4.6	409.5	7.0	1390.8	2.5	472.3	8.2	957.8	9.1	534.6	0.0	585.6	2.6
2009 Avg	65.0	25.8	42.3	5.3	57.7	11.7	95.8	8.5	242.0	41.0	105.5	23.5	44.0	27.0	95.0	30.7	88.1	21.0
2009 SD	40.2	45.5	35.5	5.5	29.7	9.1	94.2	13.1	257.8	30.6	59.5	25.3	34.8	33.0	57.2	15.0	48.8	11.9
2008 Avg	1825.5	2.8	991.4	11.4	790.6	2.8	59.8	2.2	623.8	1.3	1520.3	6.3	1234.0	9.5	1015.0	1.6	879.2	5.4
2008 SD	1197.0	2.1	1308.2	19.4	1077.0	1.8	68.5	2.2	1200.3	2.5	1138.5	5.6	1047.6	5.4	1289.0	2.3	790.3	4.4
2007 Avg	214.2	19.0	69.8	9.5	597.6	11.6	167.0	1.0	548.4	3.2	93.8	3.8	708.5	8.8	506.0	13.8	345.2	10.2
2007 SD	335.5	29.7	47.6	10.0	1025.6	10.5	350.6	2.2	1051.0	3.4	66.7	2.9	1152.6	6.7	1072.5	14.8	438.0	5.0
2006 Avg	39.6	5.8	31.4	9.2	76.0	6.2	38.8	0.0	44.8	1.2	98.4	8.2	66.2	9.0	69.0	2.2	58.0	5.2
2006 SD	36.4	2.2	30.6	6.8	54.9	4.8	32.2	0.0	37.6	1.6	89.1	7.4	65.3	5.8	83.4	2.2	44.4	0.4
2005 Avg	354.3	8.5	53.3	4.5	629.0	2.0	56.3	7.5	58.5	4.0	32.0	3.5	20.5	2.0	55.8	6.0	157.4	4.8
2005 SD	320.7	11.0	48.4	3.3	1196.9	2.4	36.0	5.2	47.3	3.4	22.2	5.2	21.0	2.4	73.5	7.7	209.6	4.4
2004 Avg	67.5	1.5	38.0	4.0	60.5	1.5	37.0	4.8	20.0	0.8	44.0	6.3	96.3	2.0	297.8	1.5	82.6	2.8
2004 SD	29.0	1.7	41.6	3.4	54.1	1.7	28.9	7.6	26.4	1.5	50.8	3.9	83.6	2.4	382.0	1.7	36.5	1.6
2003 Avg	38.5	3.2	59.7	4.5	12.8	1.3	43.3	4.0	23.5	1.5	15.8	1.3	55.7	1.5	16.7	2.3	35.6	2.5
2003 SD	29.1	1.8	44.8	5.1	13.2	2.2	32.4	6.2	32.7	1.6	6.6	2.2	29.8	1.6	19.0	2.0	9.1	1.6
2002 Avg	449	737	764	7	55	3	471	13	410	5	616	9	727	2	446	4	492	6
2002 SD	878.0	5.5	1136.0	7.0	54.0	3.6	865.0	16.3	892.0	6.0	1008.0	9.7	1160.0	3.3	878.0	4.4	883.0	8.2

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*

2.3.10 Bacterial Sampling of Surface Water for Total Coliforms (TC) and E. Coli (EC) in Naiscoot Lake 2013
NA

Average Bacterial Monitoring Results for Previous Years

Year	Station												Average All Stations	
	1		2		3		4		5		6		TC	EC
	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC	TC	EC		
2012 Avg	32.4	1.8	40.0	2.8	52.0	1.6	62.0	1.2	129.0	7.0	38.2	0.6	58.9	2.5
2012 SD	13.3	1.6	29.0	1.8	32.4	2.3	23.4	1.6	64.0	7.0	27.0	1.3	22.4	1.9
2011 Avg	12.8	0.6	19.2	1.2	15.4	0.6	93.6	4.4	54.2	2.4	22.0	2.8	36.2	2.0
2011 SD	3.4	1.3	10.2	1.6	8.8	1.3	57.0	4.1	46.1	1.3	9.5	3.3	13.0	1.0
2010 Avg	21.0	2.4	41.2	2.8	48.0	2.2	67.4	3.2	92.0	3.8	39.6	2.6	51.5	2.8
2010 SD	13.0	1.3	24.7	3.3	33.2	2.2	56.1	2.0	37.3	1.1	25.4	3.7	15.3	0.9
2009 Avg	33.5	0.8	87.3	0.8	44.8	1.5	102.5	3.8	188.3	4.8	60.5	0.8	86.1	2.0
2009 SD	23.6	1.5	41.2	1.5	19.5	1.7	54.0	2.5	121.5	4.6	35.7	1.5	25.1	0.4
2008 Avg	48.3	7.5	42.8	5.5	50.5	8.0	83.5	2.3	196.0	4.8	NA	NA	79.8	4.8
2008 SD	36.8	3.3	17.6	6.4	11.8	4.1	46.1	1.5	188.0	4.6	NA	NA	41.5	2.3
2007 Avg	32.7	2.7	69.8	2.7	46.8	10.7	54.3	8.0	100.5	57.0	22.0	0.0	62.7	16.0
2007 SD	12.2	4.6	35.8	2.5	25.5	2.5	20.7	9.8	57.5	98.7	NA	NA	26.3	23.3

* Recent light rain event, ** Recent heavy rain event, Std. Dev. or SC = Standard Deviation, Avg = Average, TC = Total Coliforms, EC = *E. coli*, NA = Not Available